

Application No. 10/656,741
Response to Action mailed 11/03/2005

Attorney's Docket No. 0220-071

Listing of Claims

This Listing of Claims replaces all prior listings of claims in this application.

1. (Currently amended) Apparatus for supporting and mounting at least one module on a surface, said apparatus comprising:

a housing attachable to a portion of the surface, said housing having a channel therein sized to receive and support at least a portion of at least one module therein, and the channel being covered by a cover panel on a side opposite the portion of the surface; and

at least one mounting member on said housing for attaching said housing to the surface;

wherein a slot is formed between the cover panel and the portion of the surface that is capable of receiving the at least one module by moving the at least one module into the slot in a direction parallel to the cover panel.

2. (Original) The apparatus of claim 1, wherein said housing comprises a three-sided box.

3. (Original) The apparatus of claim 2, wherein one end of said three-sided box is enclosed.

4. (Original) The apparatus of claim 1, wherein said at least one mounting member comprises at least one magnet.

5. (Original) The apparatus of claim 1, wherein said at least one mounting member comprises hook and loop fasteners.

6. (Original) The apparatus of claim 1, wherein said housing is configured to cooperate with fasteners for fastening said at least one modules to said housing.

7. (Currently amended) A housing for supporting and mounting at least one module, said housing comprising:

a first panel member;

a second panel member connected to said first panel member;

a third panel member connected to said second panel member opposite said first panel member, wherein a slot is formed between said first and third panel members capable of receiving at least one module, and the slot is capable of receiving the at least

Application No. 10/656,741
Response to Action mailed 11/03/2005

Attorney's Docket No. 0220-071

one module by moving the at least one module into the slot in a direction toward the second panel member;

a cover panel member attached to the first, second, and third panel members such that the cover panel member covers a side of the slot; and

at least one mounting member capable of mounting said housing to a surface, wherein at least one of the first and third panel members includes the at least one mounting member, and the surface and cover panel members are opposite each other.

8. (Original) The housing of claim 7, wherein said slot is U-shaped and sized to slidably receive said at least one module.

9. (Original) The housing of claim 7, wherein said first panel member has a first extended side and wherein said third panel has a second extended side.

10. (Previously presented) The housing of claim 7, wherein said first panel member has at least one first orifice and said third panel member has at least one second orifice, and the at least one first orifice and the at least one second orifice are positioned opposite the second panel member.

11. (Original) The housing of claim 10, wherein said at least one first orifice and said at least one second orifices are positioned to receive fasteners attached to said at least one module to secure said at least one module on said housing.

12. (Original) The housing of claim 10, wherein said first panel member has at least one lower hole positioned transverse to said at least one first orifice, and wherein said third panel member has at least one upper hole positioned transverse to said at least one second orifice.

13. (Original) The housing of claim 12, wherein said at least one mounting member is at least two mounting members positioned through said at least one lower hole and said at least one upper hole for mounting said housing to the surface.

14. (Original) The housing of claim 7, wherein said at least one mounting member is a magnet for removably mounting said housing to a magnet attracting surface.

15. (Original) The housing of claim 14, wherein said magnet includes at least one magnetic strip attached to at least one side of said housing.

Application No. 10/656,741

Attorney's Docket No. 0220-071

Response to Action mailed 11/03/2005

16. (Original) The housing of claim 7, wherein said housing further comprises a rear panel connected to said first, second and third panels and positioned parallel to said slot.

17. (Currently amended) Apparatus for mounting at least one module on a surface, said apparatus comprising:

housing means attachable to the surface for forming a channel for receiving at least a portion of said at least one module therein between a portion of said housing means and the surface, the channel being covered by a cover panel on a side opposite the surface; and

means for mounting said housing means to the surface, wherein the mounting means is included in the housing means and mounts the housing means such that the surface and cover panel are opposite each other.

18. (Previously presented) A method of mounting at least one module on an RT cabinet the method comprising:

forming an open ended channel on a portion of the cabinet, the open ended channel being covered by a cover panel on a side opposite the portion of the cabinet;

inserting at least a portion of the at least one module into the open ended channel by moving the at least one module into the open ended channel in a direction parallel to the portion of the cabinet;

retaining the at least one module within the open ended channel;

wherein the forming comprises attaching the open ended housing to a surface of the portion of the cabinet such that the open ended channel is disposed between the cover panel and the surface, the open ended housing being attached the surface by at least one mounting member included on at least one of two opposite sides of the open ended channel.

19. (Original) The method of claim 18, wherein the open ended channel is formed with only one open end through which at least a portion of the at least one module is inserted.

20. (Previously presented) The method of claim 18, wherein said retaining comprises engaging a fastener on a portion of the at least one module with a portion of

Application No. 10/656,741
Response to Action mailed 11/03/2005

Attorney's Docket No. 0220-071

a housing forming the open ended channel, the portion of the housing being positioned opposite a closed end of the open ended channel.

21. (Canceled)

22. (Currently amended) The method of claim ~~[[21]]~~ 18, wherein ~~said attaching comprises attaching the housing to the surface with~~ the at least one mounting member includes at least one fastener selected from the group consisting of fasteners containing magnets, hook and loop fasteners and screws.